

EL[®]MARK

The Brand of Electricity

LED TRACK LIGHTS

SKY TL5020



TECHNICAL SPECIFICATION

INDOOR- SPOTLIGHTS

ELMARK[®]

The Brand of Electricity

Technical data:

- Rated voltage: 230V/ 50-60Hz
- Power: 20W
- Power supply: Control gear; DC device- driver, included in the set
- Colour temperature: 2700K; 4000K; 6400K
- LED source: Epistar Taiwan
- Type of LED: COB
- Colour: White; Black; Grey
- Body: Aluminium
- Beam angle: 36°
- Colour rendering index: Ra≥80
- Switch on/off: >20 000
- Long life: 30 000h
- Protection against dust and moisture: IP40

Features:

- Completely replace traditional lighting fixtures
- Pleasant and uniform light distribution
- Low power consumption
- Repeated switch on/off does not affect the lifespan
- Instant light with maximum luminous flux
- Environmentally friendly - no mercury and lead
- No ultraviolet and infrared rays
- Resistant to shock and vibration-free body
- Low heat emission

TECHNICAL SPECIFICATION

INDOOR- SPOTLIGHTS


ELMARK[®]

The Brand of Electricity

Area of application:

- Commercial sites
- Administrative buildings
- Banks
- Hospitals
- Schools
- Entertainment and leisure spots

Variants and Dimensions:



Watt	Whole fixture lumens	Colour temp.	Size (mm)		Beam angle	Colour body	Catalogue number
(W)	(lm)		Diameter	Height			
20	1800	4000	93	125	36°	White	93TL5020W/WH
20	1800	2700	93	125	36°	White	93TL5020WW/WH
20	1800	6400	93	125	36°	White	93TL5020CW/WH
20	1800	4000	93	125	36°	Black	93TL5020W/BL
20	1800	2700	93	125	36°	Black	93TL5020WW/BL
20	1800	6400	93	125	36°	Black	93TL5020CW/BL
20	1800	4000	93	125	36°	Grey	93TL5020W/GR
20	1800	2700	93	125	36°	Grey	93TL5020WW/GR
20	1800	6400	93	125	36°	Grey	93TL5020CW/GR

TECHNICAL SPECIFICATION


INDOOR- SPOTLIGHTS

ELMARK[®]

The Brand of Electricity

Barcodes:

3800131208347	93TL5020CW/BL
3800131208408	93TL5020CW/GR
3800131208293	93TL5020CW/WH
3800131207678	93TL5020W/BL
3800131208385	93TL5020W/GR
3800131207661	93TL5020W/WH
3800131208316	93TL5020WW/BL
3800131208361	93TL5020WW/GR
3800131208279	93TL5020WW/WH



EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 60598-1 • EN 60598-2-2 • EN 61347-1 • EN 61347-2-13 • EN 13032-4



www.elmarkholding.eu